

Welcome

Total Joint Replacement Class

Pre-Operative Nurse

Team Approach

- Goal: The best function from your new joint
- Your job: Your effort in therapy = your best result

So much information!

- Don't stress if you don't remember everything.
- And we will be there to help.





Diabetes and Surgery

- The way your diabetes is managed at home is different from the way it is managed in the hospital. You may be put on insulin if you normally take pills.
- The better control of your diabetes, the better the chances of an excellent surgical outcome.





Diabetes and Surgery

- It is essential to control your blood sugar prior to surgery or you risk postponement.
- Speak with your physician regarding medication management prior to surgery.



General Information

Pre-op Phone Calls

- Pre-operative interview
- Have medication list available by the phone
- We will call you two business days prior to your surgery with your arrival time.



Remember to Bring...

- Photo ID
- Blood Bank Card
 - This will be given to you when they draw your blood at the hospital.
- Blue bag with incentive spirometer
- Medication List with dosages
- CPAP for Admission
- Clothing for Therapy





Remember to Bring...

For knee patients only:

 Ice therapy machine with pad and cord.







Remember: Before leaving home

- Nothing to eat or drink after midnight before your surgery.
- Take only medications as instructed with a small sip of water.
- Do not wear any jewelry, makeup or lotion.
- Please leave valuables with family or at home.



INFECTION PREVENTION

NIGHT BEFORE SURGERY

Shower at home with antibacterial soap.

MORNING OF SURGERY

Shower at home with antibacterial soap.

• ONCE AT HOSPITAL

Complete the decontamination protocol when changing into hospital gown.





Preoperative Decontamination Protocol "Nose to Toes"

- The risk of surgical site infection can be reduced with this protocol. Bacteria (like staph aureus) can live in our noses and be on our skin (our own flora). This protocol can reduce the amount of bacteria that may cause an infection. It is a 3 step process that includes:
 - Chlorhexidine washcloths
 - Chlorhexidine oral rinse
 - Nasal povidone iodine swabs







General Information

- Day of Surgery Routine
 - Check in at the front desk in the main lobby
 - In pre-op you will complete the "nose to toes" decontamination protocol when changing into your

hospital gown.

 Meet with your surgeon, anesthesiologist and the operating room nurse.





Anesthesia Options

 You will be able to discuss anesthesia options, spinal or general, with your anesthesiologist in the pre-operative area the day of surgery.





Adductor Canal Block For Knee Patients Only

A type of regional anesthesia used in addition to general anesthesia or a spinal block

- A long-acting numbing medication is injected.
- Blocks the pain sensation to the front of the knee.





Adductor Canal Block for knee patients only

Advantages:

- Reduces post-operative pain up to 24 hours
- Sensation in your knee usually returns in 12-16 hours.
- Still able to move leg so you can participate in Physical Therapy with less pain.
- Results in using less pain medication which will increase your participation with all of your general post operative activities.





Adductor Canal Block

- As with any procedure, there are risks. Certain patients may not be a candidate for the block due to history or anatomy.
- You will discuss this with your anesthesiologist the day of surgery.





What to Expect After Surgery

- Bandage
- Triangle pillow for posterior hip patients only
- Flip chart: goals for day








What to Expect After Surgery

- Hospital Stay
 - 1-3 days average stay
- Case Manager
 - Discharge home or rehab facility



Preventing Complications

- Infection Prevention
 - Pre-op showers
 - Nose to toes decontamination
 - Pre-op antibiotics through IV line



- Blood thinners
- SCD sleeves (sequential compression device)
- Ankle pump exercises
- Mobility helps!

Care Partner tip: Remind patient to pump ankles.







Preventing Complications

Pneumonia



Incentive Spirometer: 10 times an hour

- Getting out of bed
- Walking in therapy



Care Partner tip: Remind patient to use Spirometer



Preventing Complications

- Pain Management
 - Pain scale 0-10
 - Goal: To keep pain level at 4 or less (Why not zero?)



Pain Management

Pain Medicine

- Scheduled pain medication combination with additional medications as needed.
- Oral pain meds: request 1 hour before physical therapy
- Stool softeners: to combat constipation
 - Drinking water and getting out of bed will also help







Recovering at Home

- Prepare your home ahead of time
- At Home:
 - Do your exercises & move but take breaks
 - Elevate your leg or sit and rest your hip
 - Knee swelling can slow therapy process







Nursing

Questions?





Occupational Therapy

- Introduction to Occupational Therapy
 - Occupational therapy works on self-care activities
 - Monday through Friday once daily, usually in the morning
 - First visit after surgery
- Equipment if needed to assist in recovery
- Clothing comfortable and loose. Shoes should have a closed back or secure heel strap-no flip-flops, clogs, backless slippers. If you normally wear orthotics, bring them.

Care Partner tip: Help them remember to bring loose clothing.



Occupational Therapy

Questions?



Physical Therapy

- Request pain medication before therapy
- PT schedule: twice daily (10:30 a.m. and 2:00p.m.)
- PT goals
 - ROM (0-90 for TKA), strengthening
 - Safe transfers and mobility
 - Walking 150 ft by D/C for patient's going home
 - Stairs if applicable
- Weight bearing status



Physical Therapy

- Equipment
 - Walker
 - Goniometer
- Demonstrate exercises



Care Partner tip: Be supportive and encouraging during PT.



Physical Therapy

Questions?





Discharge Planning

- Discharge Planning Team:
 - You, surgeon, case manager, PT, OT, nursing, and your care partner
- PT after Discharge





Total Joint Class

Thank you for coming to the class!



